

Storable Swimming Pool

This list has been compiled in order to outline the most common type of Residential Storable Swimming Pool submittal. All requirements for a specific project type may not be listed. It is the applicant's responsibility to verify specific conditions of approval. If you have questions contact City staff for clarification prior to submittal at 928-763-0124. Failure to provide a complete submittal, as outlined below, may cause delays in the processing of your permit.

Definitions:

- "Swimming Pool (pool)": Any structure intended for swimming, recreational bathing or wading capable of holding water 18 inches or more in depth. This includes in-ground, above-ground and on-ground pools, hot tubs, spas and fixed-in-place wading pools. Any structure defined as a splash pad regardless of depth.
 - "Residential": A pool intended for use that is accessory to a single-family residential setting and available only to the household and its guests. All other pools shall be considered to be Public for the purposes of this document.
 - "Public": A pool other than a Residential pool. Public pools are further categorized and defined in the 2018 International Swimming Pool and Spa Code. Public pools are subject to additional permitting requirements of the Arizona Department of Environmental Quality (ADEQ).
 - "Splash Pad": A man made structure constructed from materials other than natural earth or soil, with sprinklers, fountains, nozzles, and other devices or structures that sprays potable water, with drainage so there is no standing water, with a recirculation and filtration system.
 - "Storable": A temporary pool accessory to a residential occupancy, constructed on or above the ground, capable of holding water with a maximum depth of 42 inches, or a pool with nonmetallic, molded polymeric walls or inflatable fabric walls regardless of dimension intended for residential use. Typically, this would be a single-family residential above-ground swimming pool that has a cord-connected pool filter, is hose filled and is taken down in the winter.
 - "Exempt": A prefabricated pool capable of holding water with a maximum depth of less than 18 inches and is less than 8 feet in width at any point, whether below-ground or aboveground. A permit is not required for an exempt swimming pool.

Building Codes:

- All swimming pool installations are to comply with the adopted building codes (as amended):
 - Residential: 2018 International Swimming Pool and Spa Code and applicable 2018
 International Residential Code sections addressing electrical, mechanical, plumbing and fuel gas requirements.

Zoning Codes:

- All swimming pools are to comply with municipal code 17.06.170 "Swimming Pool Safety".
 - All swimming pools shall be enclosed in accordance with the latest adopted building codes.
 - In single-family residential zoning districts, swimming pools shall be in the side or rear yard and there shall be a distance of at least three feet between any property line and the water edge.

GENERAL REQUIREMENTS FOR RESIDENTIAL PLAN SUBMITTAL:

- One (1) completed permit application worksheet.
- Two (2) copies of 8 1/2" x 11" site plan.
- Two (2) copies of the manufacturer installation instructions.
- Plan review fees are collected at the time of submittal.

Site Plans:

- Site Plan (8 ½" x 11") to include:
 - o Property dimensions, setbacks and easements.
 - Locations of all existing structures. Include type of structures, dimensions and distances to property lines and other structures.
 - Locations of existing and proposed utility lines.
 - Location of proposed storable swimming pool.
 - Locations of code compliant pool barrier fences/walls. Include type of barrier and dimensions.
 A separate permit is required for new installations.

OTHER REQUIRED INFORMATION:

Contractor / Owner Builder:

- General Contractor:
 - o Provide contractor's AZ Registrar of Contractor's license number.
 - o Provide contractor's TPT number.
 - o Provide contractor's City of Bullhead City business license number.
- Owner Builder (restrictions apply):
 - o Provide a signed 'Declaration of Intent" form.

GENERAL INFORMATION

- See permit "Building and Zoning Permits Guide" for review timelines.
- A permit is required for the installation of a storable swimming pool. This includes existing
 unpermitted storable swimming pools that were installed under all previous policies if being
 processed by Code Enforcement as a nuisance, dangerous building, etc.
- A storable swimming pool is to be located so that it meets Zoning code regulations and installed so that it meets Building code regulations.
- A storable swimming pool will be inspected to insure that it has been installed per the manufacturer installation instructions and meets all pool barrier requirements.
- The permit fee for a storable swimming pool is **\$82.50** and includes the installation of the storable swimming pool, one receptacle if required and the house pool alarms if required.
- If pool barrier fencing/walls are to be installed a separate permit is required. Typically permit fees for fencing is \$82.50 plus an additional \$100.00 for an encroachment permit if the fence is located in a recorded easement.
- Separate permits are required for other structures commonly associated with storable swimming pools such as the installation of BBQ areas, cabanas, etc.

PERMIT INFORMATION:

- A twenty-four (24) hour inspection request line is available, call (928) 763-0172.
- The permit inspection card must be posted on the construction site at all times.
- The approved plans must be on the job site for all requested inspections.
- Prior to digging call Arizona 811; in AZ dial 811, out of state 1-800-STAKE-IT (1-800-782-5348).

ADOPTED BUILDING CODES (with local amendments):

Title	Code Year	BHC MC Chapter	Title	Code Year	BHC MC Chapter
International Building Code, ICC	2018	15.12	International Fire Code, ICC	2018	15.24
International Residential Code, ICC	2018	15.14	International Energy Conservation Code, ICC	2018	15.22
National Electric Code, NFPA	2017	15.20	International Existing Building Code, ICC	2018	15.26
International Mechanical Code, ICC	2018	15.28	International Swimming Pool and Spa Code, ICC	2018	15.30
International Plumbing Code, ICC	2018	15.32			
International Fuel Gas Code, ICC	2018	15.34	ADAAG Manual, ADA US Access Board	2010	NA

ICC International Code Council, NFPA National Fire Protection Association

The Arizona Department of Fire, Building and Life Safety adopted the 2018 International Fire Code. For additional information contact the Bullhead City Fire Department at (928) 758-3971.

For specific Planning & Zoning codes, Engineering codes, Building codes and local code amendments, along with plan submittal requirements applicable to various project types, review our informational handouts under **Departments** and the City's **Municipal Code** at www.bullheadcityaz.goy.

					·		

CITY OF BULLHEAD CITY

DEVELOPMENT SERVICES
2355 TRANE ROAD
BULLHEAD CITY; AZ 86442

Office: 928-763-0124 Fax: 928-763-0131





LOG NUMBER: PERMIT NUMBER: PROJECT ADDRESS: Project Valuation: \$ Project Description: LEGAL DESCRIPTON: A.P.N: _____ Subdivision: _____ __Lot: ______, T___N , R___W Block: ____ APPLICANT: Contact Person: Mailing Address: ______ State: ______ Zip Code: _____ City: **Phone Numbers** (Home/Office):______Cell :_____Fax :____ Email Address: **OFFICE USE ONLY PROPERTY** OWNER: PROPERTY OWNER INFORMATION PER MOHAVE COUNTY Mailing Address: Owner: City: Mailing Address: City: State: _____ Zip Code: _____ **Phone Numbers** State: Zip Code: (Home/Office): Cell :_____ Fax :____ New Owner / Sale Date: Email Address: TENANT: ______Contact Person: Mailing Address: ______ ______ State: _____ Zip Code: ____ City: Phone Numbers

Email Address:

OWNER BUILDER: (re	equires completion of the	"Declaration	n of Intent" for	rm)			
or-	CONTRACTOR: Contact Person:						
Mailing Address:							
					10.	1 1	
Phone Numbers			State		ue		
(Home/Office):	Ce	11:		Fax:			
Arizona State Co	ontractors License Number	er:				10	
Arizona Transac	tion Privilege Number						
City of Bullhead	City Business License Nu	mber:					
Per ARS 9-495. Employees provided in any written communication be authorized and able to provide info 1. Demands payment of a tax, 2. Denies an application for a p 3. Requests corrections, revisit the city or town. B. An employee who is authorized adays after the city or town receives Per ARS 9-834. Prohibited acts it A. A municipality shall not base a l requirement or condition that is not code. A general grant of authority requirement or condition unless the condition. B. Unless specifically authorized, and ont enhance regulatory clarity and practicable. C. This section does not prohibit mues or codes. D. A municipality shall not request that person's rights. Warning - Plans Control: Once submitted to the City for reviet the time of application and permit is paid the associated fees to the City. Licensing Timelines: Overall timelines review of the application revies substantive review of the application.	ding assistance; identification; con etween a city or town and a person, th rmation about the communication if t fee, penalty, fine or assessment. ermit or license that is issued by the c ons or additional information or mater and able to provide information about	namunication: the city or town shall the communication of the communica	provide the name, tel does any of the follow roval of any application that is described in section may be gainst a municipality. Tes associated with the unicipality for a violatin A municipal employee on of this section is cau's adopted personnel in This section does not This section on all little in the licensing application of the considered to belong the owner, tenant, application has legal right to the administrative review	ephone number and email ad ing: In for a permit, license or other ubsection A of this section shall be court may award reasonation and incense application to a party on of this section. In may not intentionally or knownse for disciplinary action or disolicy. In may not intentionally or knownse for disciplinary action or disolicy. In may not intentionally or knownse applications. In may be in either print or ele to the property owner, as receant, technical registrant or core permit and associated constitutions.	er authorization that it all reply within five bettion and relief may le attorney fees, dan that prevails in an activingly violate this seconissal pursuant to the dby section 12-820. It of subsections A, B, octronic format.	is issued by usiness be awarded nages and all iton against a ction. A viola- ne municipal- 01 or C, D, E, F and ounty at s of who	
advise all interested parties under the ble for reviewing compliance with an the City of Bullhead City has no oblig any City of Bullhead City personnel and all inspections. The Issuance of a perplans, specifications and other data, of the compliance of the complia	mation I have provided is correct and I is application of the licensing and plans by CC&R's that apply to the project; and ation to explain every requirement and access to the property at all reasonable timit based on plans, specifications and or preventing building operations when the property at all reasonable to the property at all reasonable timit based on plans, specifications and or preventing building operations when the property of th	control provisions al that in my opinion r i ordinance to me pri imes to ascertain rele other data shall not in violation of this co	cove. I also acknowled to CC&R exists or application to approval of my person to the control of	ge I am aware of CC&R's in ger es or has been or will be comp roject. I also acknowledge by uding the current condition of to official from thereafter requiri- inty or City laws, rules or regula	neral; that the City is in the City is in the City is signing this application, the property, and performing the correction of eations.	not responsi- nd and agree on I authorize form any and	
Square Footages:							
Type of Construction:	Occupancy Classification:	Occupant Lo	oad: Nu	mber of Bedrooms:	Flood Zone:_		
Pre-Paid Amount:	Paid By:	Recei	pt # :		REVIEWED BY (STAFF INITIALS)	(A.II.1/00/YY)	
Valuation:	Permit Fee:	Plan I	Review:	SUBMITTAL	and and the section of the section o		
Sewer Capacity Fee:	Water Resource Fee:	Eng. I	Plan Rev:	P&Z	THE TAXABLE MAIL ADMINISTRAÇÃO DE SECURIO DE		
Zoning:	Lot Size:	Lot Co	overage:	BLDG.	person persons and participations of the engineering states and	SCO personal de FARENCIA (DE SAMPLIMATION	
Minimum Setbacks: Front:	Side: Street Side:	Rear:		ENG.	all half half half has been been been been been been been bee		
Easements:				APPROVAL			
Comments:				TYPED			

CITY OF BULLHEAD CITY DECLARATION OF INTENT

Project	Permit #:
Addres	
Property Name:	Owner
Mailing /	Address:
Phone N	umber:
Initial One	OWNER BUILDER CONTRACTOR LICENSE EXEMPTION DECLARATION
I underst	and that the "Handyman" exemption does not apply to any construction project which requires a building permit ne total cost of materials and labor are more than \$1000. I understand that all contractors must have a valid Registrar of Contractors license and a valid City of Bullhead City business license.
	Improvements to Vacant or Improved Property (intended for occupancy solely by the owner): I am exempt from Arizona contractor license laws on the basis that I am the owner/developer of the property and the property will not be used by members of the public, sold or rented for at least one year after completion of this project (ARS § 32-1121.A.5).
	Improvements To Vacant Property (intended for use by members of the public, sale or rent): I am exempt from Arizona contractor license laws on the basis that I am the owner/developer of the property and I will contract with a licensed general contractor to provide all construction services (ARS § 32-1121.A.6). • General Contractor information to be provided on reverse.
	Improvements To Improved Property (intended for use by members of the public, sale or rent): I am exempt from Arizona contractor license laws on the basis that I am the owner/developer of the property and I will contract with licensed general contractors or specialty contractors to provide all construction services. (ARS § 32-1121.A.6). • General Contractor and/or Specialty Contractor information to be provided on reverse.
Initial One	SALES TAX DECLARATION
	I am constructing minor improvements to real property. I understand that all construction contractors utilized in connection with this project are liable for payment of the City of Bullhead City sales tax. I am constructing substantial improvements to real property for my own use. I do not intend to sell the improved real property within twenty-four (24) months after completion. I understand that all construction contractors utilized in connection with this project are liable for payment of the City of Bullhead City sales tax. I also agree to furnish a list of amounts paid to all contractors to the Finance Department of the City of Bullhead City within fifteen (15) days after final inspection. I further understand that if I sell the project within twenty-four
	(24) months after completion, I am liable for sales tax on the sales price, less applicable credit for taxes previously paid. I am constructing substantial improvements to real property which I intend to sell upon completion. I declare liability for payment of City of Bullhead City sales tax which I understand is due and payable upon the full sales price at the close of escrow or transfer of title, whichever occurs first. I further understand that if the project is not sold within twenty-four (24) months after completion, I am liable for payment of all sales tax on construction costs previously claimed as exempt (including land). If this box has been checked, you must go to the Arizona Department of Revenue to obtain a Sales Tax Number prior to permit issuance, if you do not already have one.
Initial One	WORKMANS COMPENSATION DECLARATION
	I certify that in the performance of the work for which this permit is issued, I will not employ any person in any manner so as to become subject to the Worker's Compensation Laws of Arizona. I understand that if I become subject to the Worker's Compensation provisions of the labor code, I must comply with its provisions or this permit will be deemed the voked.
	I hereby affirm that I have a certificate of consent to self-insure, or a certificate of Worker's Compensation Insurance, or a certified copy. □ Certified copy is hereby furnished. □ Certified copy is filed with the City.
Signat	ture of Property Owner: Date:

Original: Finance Department

Copies: Property Owner and Legal File

CONTRACTOR LIST (For Declaration of Intent) Permit #:					
Contractor	Type:				
Mailing Address:	туре				
Cit	State:	Zip:			
Office #:	Cell #:	Fax #:			
Email:		I ax m.			
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:					
City of Buillead City Busilless License Number.		. =			
Sub-Contractor	Type:				
Mailing Address:					
City:	State:	Zip:			
Office #:	Cell #:	Fax #:			
Email:					
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:		14			
Sub-Contractor		1 The State of the			
	Type:				
Mailing Address:					
City:	State:	Zip:			
Office #:	Cell #:	Fax #:			
Email:					
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:					
Sub-Contractor	Type:				
Mailing Address:	Type.				
City	State:	7:			
Office #	Cell #:	Zip:			
Email:	Cell#.	Fax #:			
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:					
Sub-Contractor	Type:				
Mailing Address:					
City:	State:	Zip:			
Office #:	Cell #:	Fax #:			
Email:					
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:	Taria de la composición dela composición de la composición de la composición de la composición de la composición dela composición de la composición dela composición dela composición dela composición de la composición dela composición de				
Sub-Conference					
Sub-Contractor Mailing Address:	Type:	The second secon			
Mailing Address:	Ct-t-	7:			
City:	State:	Zip:			
Office #:	Cell #:	Fax #:			
Email:					
AZ Registrar of Contractors Number:					
Arizona Transaction Privilege Tax Number:					
City of Bullhead City Business License Number:					



CITY OF BULLHEAD CITY Swimming Pool/Spa Barrier Checklist & Agreement

	3.	
PERMIT #:	PROPERTY OWNER NAME:	POOL CONTRACTOR NAME:
SITE ADDRESS:	MAILING ADDRESS:	MAILING ADDRESS:
APN#:		
	CONTACT NAME:	CONTACT NAME:
	PHONE NUMBER:	PHONE NUMBER:
Arizona State Law and the Bullhead Cit	y code require that a Pool Barrier be	e placed between people and the water.
Pool Barrier Fence Checklist: [√ check	either #1 or #2]	
#1 - A 5 foot high Pool Barrier fence s#2 - A 5 foot high Pool Barrier fence s		to #3 below]. e house [complete Pool Access Barrier below].
Pool Access Barrier Checklist: [$$ check	ceither #A, #B or #C]	
self-latching at not less than 54" a — #B - A motorized pool safety cover [A	above grade and that opens away from STM F 1346] shall be installed that will	
Pool Barrier Fence Gates: [√ check #3 a	and all others that apply]	
 #3 - A 36" to 60" wide self-closing gate pool/spa. #4 - A swing gate that is wider than 60 #5 - Other gates installed shall comply 	" shall be pad locked at all times.	4" above grade and that opens away from the
Pool Barrier Fence Materials: [√ check of	one or more as applies]	
 #6 - 5 foot high horizontal / vertical fer #7 - 5 foot high solid masonry or cond #8 - 5 foot high chain link fencing (ma 	rete fencing.	n,other (list)
	CING USED DURING CONSTRUCTION FENCING (OR SIMILAR) IS NOT AN A	N MUST BE 5' HEIGHT CHAIN LINK. ACCEPTABLE BARRIER MATERIAL.
Fence Contractor: [√ check one] — #9 - I, as the property owner, shall constr — #10 – The pool contractor shall constr — #11 – The fence contractor shall constr The fence contractor is:	uct the Pool Barrier. truct the Pool Barrier. [complete]	
Fence Contractor Comp Fence Contractor Name Fence Contractor Cell#		ROC#: City BL#:
I have received a copy of this agreeme be placed into the pool until the Pool E it must be " <u>Approved</u> " by final inspection	arrier requirements have been com	Spa construction policy. I agree that water shall not pleted per the policy. Before the pool may be used rision.
Pool Contractor (print name):	Home Owner N	ame (print name):
Pool Contractor Signature:	Home Owner S	ignature:
Date:	Date:	

SWIMMING POOL BARRIER REGULATIONS



2018 International Swimming Pool and Spa Code (with City amendments) (Reference A.R.S. § 36-68)

DEFINITIONS: for the purposes of this document

Barrier. A permanent fence, wall, building wall, or combination thereof that completely surrounds the pool or spa and obstructs the access to the pool or spa. The term "permanent" shall mean not being able to be removed, lifted, or relocated without the use of a tool. The required barrier shall be constructed not less than 48 inches from any natural or man-made object, on the side of the barrier that faces away from the pool or spa, that would effectively reduce the 60 inch non-climbable height of the barrier.

Swimming Pool (Pool): Any structure intended for swimming, recreational bathing or wading that contains water over 18 inches in depth. This includes in-ground, above-ground and on-ground pools, hot tubs, spas and fixed-in-place wading pools. Any structure defined as a splash pad regardless of depth.

Splash Pad: A man made structure constructed from materials other than natural earth or soil, with sprinklers, fountains, nozzles, and other devices or structures that sprays potable water, with drainage so there is no standing water, with a recirculation and filtration system.

Residential: A pool intended for use that is accessory to a single-family residential setting and available only to the household and its guests. All other pools shall be considered to be Public for the purposes of this document.

Public: A pool other than a Residential pool. Public pools are further categorized and defined in the 2018 International Swimming Pool and Spa Code. Public pools are subject to additional permitting requirements of the Arizona Department of Environmental Quality (ADEQ).

Storable: A temporary pool constructed on or above the ground capable of holding water with a maximum depth of 42 inches, or a pool with nonmetallic, molded polymeric walls or inflatable fabric walls regardless of dimension intended for residential use. Typically, this would be a single-family residential above-ground swimming pool that has a cord-connected pool filter, is hose filled and is taken down in the winter.

Exempt: A prefabricated pool accessory to a Group R-3 occupancy that contains water less than 18 inches in depth and is less than 8 feet in width at any point, whether below-ground or above-ground. A permit is not required for an exempt swimming pool.

SECTION 305 BARRIER REQUIREMENTS:

305.1 General. The provisions of this section shall apply to the design of barriers for restricting entry into areas having pools and spas whether belowground or aboveground. Where spas or hot tubs are equipped with a lockable safety cover complying with ASTM F1346 and swimming pools are protected by a motorized safety pool cover that complies with ASTM F1346 that requires the operation of a key switch which meets the ASTM emergency standards 13-89 and which does not require manual operation other than the use of the key switch, the areas where those spas, hot tubs or pools are located shall not be required to comply with amended Sections 305.2 through 305.5.

305.2 Outdoor swimming pools and spas: Outdoor pools and spas and indoor swimming pools shall be surrounded by a barrier that complies with Sections 305.2.1 through 305.5.

Public Locations: An interior barrier fence between the buildings and the pool / spa is required.

Residential Locations: Where the barrier requirements of Sections 305.2.1 through 305.5 can not be achieved an inner barrier fence around the entire pool / spa is required.

305.2.1 Barrier height and clearances. Barrier heights and clearances shall be in accordance with all of the following:

- The top of the barrier shall be not less than 60 inches above grade where measured on the side of the barrier that faces away from the pool or spa. Such height shall exist around the entire perimeter of the barrier and for a distance of 48 inches of the barrier and for a distance of 48 inches measured horizontally from the outside of the required barrier from any natural or man-made object that would effectively reduce the 60 inch non-climbable height of the barrier.
- The vertical clearance between grade and the bottom of the barrier shall not exceed 2
 inches for grade surfaces that are not solid, such as grass or gravel, where measured on
 the side of the barrier that faces away from the pool or spa.
- 3. The vertical clearance between a surface below the barrier to a solid surface, such as concrete, and the bottom of the required barrier shall not exceed 4 inches where measured on the side of the required barrier that faces away from the pool or spa.
- 4. Where the top of the pool or spa structure is above grade, the barrier shall be installed on grade or shall be mounted on top of the pool or spa structure. Where the barrier is mounted on the top of the pool or spa, the vertical clearance between the top of the pool or spa and the bottom of the barrier shall not exceed 4 inches.

305.2.2 Openings. Openings in the barrier shall not allow passage of a 4 inch diameter sphere.

305.2.3 Solid barrier surfaces. Solid barriers that do not have openings shall not contain indentations or protrusions that form handholds and footholds, except for normal construction tolerances and tooled masonry joints.

305.2.4 Mesh fence as a barrier. Mesh fences, other than chain link fences in accordance with Section 305.2.7, shall be installed in accordance with the manufacturer's instructions and shall comply with the following:

- 1. The bottom of the mesh fence shall be not more than 1 inch above the deck or installed surface or grade.
- 2. The maximum vertical clearance from the bottom of the mesh fence and the solid surface shall not permit the fence to be lifted more than 4 inches from grade or decking.
- 3. The fence shall be designed and constructed so that it does not allow passage of a 4 inch sphere under any mesh panel. The maximum vertical clearance from the bottom of the mesh fence and the solid surface shall be not greater than 4 inches from grade or decking.
- 4. An attachment device shall attach each barrier section at a height not lower than 45 inches above grade. Common attachments devices include, but are not limited to, devices that provide the security equal to or greater than that of a hook-and-eye-type latch incorporating a spring-actuated retaining lever such as a safety gate hook.
- Where a hinged gate is used with a mesh fence, the gate shall comply with Section 305.3.
- 6. Patio deck sleeves such as vertical post receptacles that are placed inside the patio surface shall be of a nonconductive material.
- 7. Mesh fences shall not be installed on top of onground residential pools.

305.2.5 Closely spaced horizontal members. Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is less than 45 inches, the horizontal members shall be located on the pool or spa side of the fence. Spacing between vertical members shall not exceed 1 ¾ inches in width. Where there are decorative cutouts within vertical members, spacing within the cutouts shall not exceed 1 ¾ inches in width.

- **305.2.6 Widely spaced horizontal members.** Where the barrier is composed of horizontal and vertical members and the distance between the tops of the horizontal members is 45 inches or more, spacing between vertical members shall not exceed 4 inches. Where there are decorative cutouts within vertical members, the interior width of the cutouts shall not exceed 1 ¾ inches.
- **305.2.7 Chain link dimensions.** The maximum opening formed by a chain link fence shall be not more than 1 ¾ inches. Where the fence is provided with slats fastened at the top and bottom that reduce the openings, such openings shall be not greater than 1 ¾ inches.
- **305.2.8 Diagonal members.** Where the barrier is composed of diagonal members, the maximum opening formed by the diagonal members shall be not greater than 1 ¾ inches. The angle of diagonal members shall be not greater than 45 degrees from vertical.
- **305.2.9 Clear zone.** There shall be a clear zone of not less than 48 inches between the exterior of the barrier and any permanent structures or equipment such as pumps, filters and heaters that can be used to climb the barrier.
- **305.2.10 Poolside barrier setbacks.** The pool or spa side of the required barrier shall be not less than 20 inches from the water's edge.
- **305.3 Gates.** Access gates shall comply with the requirements of Sections 305.3.1 through 305.3.3 and shall be equipped to accommodate a locking device. Pedestrian access gates shall open outward away from the pool or spa, shall be self-closing and shall have a self-latching device.
 - **305.3.1 Utility or service gates.** Gates not intended for pedestrian use, such as utility or service gates, shall remain locked when not in use.
 - **305.3.2 Double or multiple gates.** Double gates or multiple gates shall have no fewer than one leaf secured in place, and the adjacent leaf shall be secured with a self-latching device. The gate and barrier shall not have openings larger than ½ inch within 24 inches of the latch release mechanism. The self-latching device shall comply with the requirements of Section 305.3.3. Gates shall remain locked when not in use.
 - **305.3.3 Latches**. Where the release mechanism of the self-latching device is located less than 54 inches from grade, the release mechanism shall be located on the pool or spa side of the gate not less than 5 inches below the top of the gate, and the gate and barrier shall not have openings greater than $\frac{1}{2}$ inch within 24 inches of the release mechanism.
- **305.4 Structure wall as a barrier.** Where a wall of a dwelling or structure serves as part of the barrier and where doors or windows provide direct access to the pool or spa through that wall, one of the following shall be required.
 - 1. Operable windows having a sill height of less than 48 inches above the indoor finished floor and doors shall have an alarm that produces an audible warning when the window, door or their screens are opened. The alarm shall be listed and labeled as a water hazard entrance alarm in accordance with UL 2017. In dwellings or structures not required to be Accessible units, Type A units or Type B units, the operable parts of the alarm deactivation switches shall be located 54 inches or more above the finished floor. In dwellings or structures required to be Accessible units, Type A units or Type B units, the operable parts of the alarm deactivation switches shall be located not greater than 54 inches and not less than 48 inches above the finished floor.
 - A safety cover that is listed and labeled in accordance with ASTM F1346 is installed for the pools and spas.


- An approved means of protection, such as self-closing doors with self-closing doors
 devices, is provided. Such means of protection shall provide a degree of protection that is
 not less than the protection afforded by item 1 or 2.
- 4. All ground level doors or other doors with direct access to the swimming pool or other contained body of water shall be equipped with a self-latching device that meets the requirements of 305.3.3 amended. Emergency escape or rescue windows from sleeping rooms with access to the swimming pool or other contained body of water shall be equipped with a latching device not less than 54 inches above the floor. All other openable dwelling unit or guest room windows with similar access shall be equipped with a screwed in place wire mesh screen, or a keyed lock that prevents opening the window more than 4 inches, or a latching device located not less than 54 inches above the floor.
- 5. Between the swimming pool or other contained body of water and the residence or living area, a minimum four-foot wall, fence or barrier to the pool area which meets all of the requirements of amended Sections 305.2 through 305.3.

305.5 Onground residential pool structure as a barrier. On onground residential pool wall structure or a barrier mounted on top of an onground residential pool wall structure shall serve as a barrier where all of the following conditions are present.

- 1. Where only the pool wall service as the barrier, the bottom of the wall is on grade, the top of the wall is not less than 48 inches above grade for the entire perimeter of the pool, the wall complies with the requirements of Section 305.2 and the pool manufacturer allows the wall to serve as a barrier.
- 2. Where a barrier is mounted on top of the pool wall, the top of the barrier is not less than 48 inches above grade for the entire perimeter of the pool, and the wall and the barrier on top of the wall comply with the requirements of Section 305.2.
- Ladders or steps used as a means of access to the pool area capable of being secured, locked or removed to prevent access except where the ladder or steps are surrounded by a barrier that meets the requirements of Section 305.
- 4. Openings created by the securing, locking or removal of ladders and steps do not allow the passage of a 4-inch diameter sphere.
- 5. Barriers that are mounted on top of onground residential pool walls are installed in accordance with the pool manufacturer's instructions.

THE CITY OF BULLHEAD CITY DEVELOPMENT SERVICES DEPARTMENT

SITE PLAN ILLUSTRATION



THE CITY OF BULLHEAD CITY DEVELOPMENT SERVICES DEPARTMENT

SITE PLAN CHECKLIST

All permits	will require the following information on two 8½" x 11" site plans
1.	The outline or shape of the property to be permitted.
2.	All dimensions in respect to the outline of the property.
3.	Location and type of property marker (see illustration). The City may require a surveyors certification of the property.
4.	Location and dimensions of all structures on the property.
5.	Distances of all structures from each other.
6.	Distances of all structures from property lines.
7.	Locations and dimensions of any easements.
8.	Site of origin and termination of all utilities.
9.	Name(s) of street(s) adjacent to property.
10.	Grade elevations at property pins, finish floor elevations, and any major (3' +/-) slopes or grade changes.

Applicant:		 	
Address:			

FEE CALCULATION WORKSHEET <u>ESTIMATE</u>

	Size per	Factor per		PERMIT	PLAN REV
	Square Feet	Square Feet		FEE	FEE
Accessory					
Room Addition		\$40.73			
Garage, Storage Room or Storage Shed		\$40.73			
Patio Cover, Ramada or Screen Porch		\$16.36			
Deck or Balcony		\$16.36			
Carport		\$16.36			
+ Air Conditioning		\$2.68			
+ Fire Sprinklers		\$1.61			
		Total			
Miscellaneous					
Swimming Pool (in ground) / (above ground >42")		\$32.72 / \$21.81			
Retaining Wall or Sea Wall		\$17.46			
Block Fence over 6' height		\$4.36			
Foundation Slab		\$2.72			
Other					
		Total			
Permits by Inspection (Reroof, Demolition, Storable Pool	, etc.)			\$50.00	\$32.50
Grading					
Residential	Cubic Yards: _	+\$50 Pre-	Inspection		
Electrical/Mechanical/Plumbing					
Electrical Service (up to 200 amps)				\$60.86	\$39.56
Electrical Service (over 200 amps, less than 1000 amps)				\$99.84	\$64.90
Electrical - Photovoltaic System / Wind Turbine				\$99.92	\$64.95
Plumbing - Sewer Connection Applica	ation\$40.00	_ CapacityNA	Tap\$150.00	\$54.27	\$35.28
Plumbing - Water Heater				\$40.34	\$26.22
Gas Meter				\$33.42	\$21.72
Other					
Zoning			·		
Manufactured Homes / Park Trailers / Factory Built Build		ached accessory structu	ires	\$100.00	\$15.00
Manufactured Homes / Park Trailers / Factory Built Build	ings WITH attached	d accessory structures		\$245.00	\$36.75
ADOH Installation permit				\$700.00	NA
Signs (with electrical) Type: _		_ Size:	T		\$50.00
Fences (CMU, CL)				\$82.50	NA NA
Encroachment				0400 00 T	A 4 A
Encroachment				\$100.00	NA

A3.40.021.02 - Valuation Fees

\$1.00 - \$500.00	\$21.47
\$501.00 - \$2,000.00	\$21.47 1st \$500.00, plus \$2.87 per \$100.00 or fraction of, up to and including \$2,000
\$2,001.00 - \$25,000.00	\$64.52 1st \$2,000.00, plus \$12.89 per \$1,000.00 or fraction of, up to and including \$25,000
\$25,001.00 - \$50,000.00	\$360.99 1st \$25,000.00, plus \$9.30 per \$1,000.00 or fraction of, up to and including \$50,000
\$50,001.00 - \$100,000.00	\$593.49 1st \$50,000.00, plus \$6.42 per \$1,000.00 or fraction of, up to and including \$100,000
\$100,001.00 - \$500,000.00	\$914.49 1st \$100,000.00, plus \$4.99 per \$1,000.00 or fraction of, up to and including \$500,000
\$500,001.00 - \$1,000,000.00	\$2,910.49 1st \$500,000.00, plus \$4.30 per \$1,000.00 or fraction of, up to and including \$1,000,000
\$1,000,000.00 and up.	\$5,060.49 1st \$1,000,000.00, plus \$2.86 Per \$1,000.00 or fraction of.

A3.40.021.03 - Inspection Fees

Outside normal business hours	\$50.00 per hour*
Re-inspection	\$50.00 per hour*
Inspection for which no fee is specifically indicated	\$50.00 per hour*
Additional plan review required by changes, etc. to approved plans	\$50.00 per hour*
Laboratory testing	\$20.40 per hour,
	minimum 3 samples

^{*}Or the total hourly cost to the jurisdiction, whichever is greatest. This cost shall include supervision, overhead, equipment, hourly wages and fringe benefits of the employees involved.

A3.40.021.04 - Plan Review Fees

Commercial / Multi-Family Residential	65% (sixty-five percent) of building permit fee
One and Two Family Residential	65% (sixty-five percent) of building permit fee
Residential Standard plans: Submittal of standard plan	75% (seventy-five percent) of building permit fee
Each additional site-specific submittal for site review and administrative costs	50% (fifty percent) of building permit fee
Secondary changes of standard plan	\$50.00 per hour plan review fee (min. one hour)
Medical Marijuana: Dispensary, Infusion Facility, Cultivation Facility, etc.	90% (ninety percent) of building permit fee
All other submittals	65% (sixty-five percent) of building permit

fee